

**Claims**

1. A tablet, comprising:-  
(i) a core containing sumatriptan, and  
5 (ii) a mantle, free of sumatriptan, wherein the mantle entirely surrounds the core.
2. A tablet according to Claim 1, wherein the weight ratio of mantle:core is equal to or less than 1.8:1.
- 10 3. A tablet according to Claim 1, wherein the weight ratio of mantle:core is equal to or less than 1.5:1.
4. A tablet according to any of Claims 1-3, wherein the core contains from  
15 10-200 mg of sumatriptan.
5. A tablet according to any of Claims 1-4, wherein:-  
(i) the core is composed of sumatriptan, a filler, a binder, a  
disintegrant and a lubricant, and  
20 (ii) the mantle is composed of a filler, a binder, a disintegrant and a lubricant.
6. A tablet according to Claim 5, wherein the core and the mantle further comprise adsorbants and/or colorants.
- 25 7. A tablet according to Claim 6, wherein the core comprises, by weight:-  
  
sumatriptan: 1-40%  
filler: 10-90%  
30 binder: 2-60%  
disintegrant: 1-60%  
lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

and the mantle comprises, by weight:-

filler: 10-90%  
binder: 2-60%  
5 disintegrant: 1-60%  
lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

10 8. A tablet according to Claim 6, wherein the core comprises by weight:-

sumatriptan 1-50%  
filler: 10-90%  
binder: 2-60%  
15 disintegrant: 1-60%  
lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

20 and the mantle comprises, by weight:-

filler: 10-90%  
binder: 2-60%  
disintegrant: 1-60%  
25 lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

30 9. A tablet according to Claim 6, wherein the core comprises by weight:-

sumatriptan 5-80%  
filler: 10-90%  
binder: 2-60%  
disintegrant: 1-60%  
35 lubricant: 0.1-10%

adsorbants: 0-5%  
colorants: 0-5%

and the mantle comprises, by weight:-

5

filler: 10-90%  
binder: 2-60%  
disintegrant: 1-60%  
lubricant: 0.1-10%

10

adsorbants: 0-5%  
colorants: 0-5%

10. A tablet according to any previous claim, wherein, apart from the sumatriptan in the core, the core and the mantle are composed of substantially the same materials.

15

11. A tablet according to any previous claim, wherein both the core and the mantle dissolve rapidly in the stomach.

20

12. A tablet according to Claim 11, wherein at least 90% of the tablet is dissolved after 10 minutes.

13. A tablet according to any of Claims 1-12, wherein the core and the mantle disintegrate over substantially the same time period.

25

14. A tablet according to Claim 13, wherein the mantle is at least 95% dissolved and the core is at least 90% dissolved after 10 minutes.

15. A method of producing a tablet according to any previous claim, comprising the steps of:-

30

(a) forming a core by:-

- (i) placing a first amount of powder/granule in a press,
- (ii) compressing said first amount of powder/granule to obtain a core, and

35

- (b) pressing a second amount of powder/granule around said core, thereby forming a mantle and obtaining the final tablet.

5 16. A method of producing a tablet according to Claim 15, comprising the steps of:-

(a) forming a core by:-

- (i) placing a first amount of powder/granule in a press,
- (ii) compressing said first amount of powder/granule to obtain a  
10 core, and

(b) forming a mantle around the core by:-

- (i) placing a second amount of powder/granule in a press,
- (ii) placing said core onto said second amount of  
powder/granule,
- 15 (iii) placing a third amount of powder/granule on top of the core and the second amount of powder/granule, and
- (iv) compressing (iii) so as to obtain the final tablet.

20 17. A method according to Claim 15 or 16, wherein the compression in Step (a) is carried out at pressure of from 0.5-5 tons.

18. A method according to Claim 15 or 16, wherein the compression in Step (b) is carried out at a pressure from 0.5-10 tons.

25 19. A method according to Claim 15 or 16, wherein the first amount of powder/granule comprises sumatriptan, a filler, a binder, a disintegrant and a lubricant.

30 20. A method according to Claim 19, wherein the first amount of powder/granule further comprises an adsorbant and/or a colorant.

21. A method according to Claim 15 or 16, wherein the first amount of powder/granule comprises, by weight:-

35 sumatriptan: 1-40%

filler: 10-90%  
binder: 2-60%  
disintegrant: 1-60%  
lubricant: 0.1-10%  
5 adsorbants: 0-5%  
colorants: 0-5%

22. A method according to Claim 15 or 16, wherein the first amount of powder/granule comprises, by weight:-

10

sumatriptan 1-50%  
filler: 10-90%  
binder: 2-60%  
disintegrant: 1-60%  
15 lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

23. A method according to Claim 15 or 16, wherein the first amount of powder/granule comprises, by weight:-

20

sumatriptan 5-80%  
filler: 10-90%  
binder: 2-60%  
25 disintegrant: 1-60%  
lubricant: 0.1-10%  
adsorbants: 0-5%  
colorants: 0-5%

- 30 24. A method according to Claim 15 or 16, wherein the second and/or third amounts of powder/granule comprise a filler, a binder, a disintegrant and a lubricant.

25. A method according to Claim 24, wherein the second and/or third amounts of powder/granule further comprise an adsorbant and/or a colorant.

35

26. A method according to Claim 15 or 16, wherein the second and/or third amounts of powder/granule comprise, by weight:-

5           filler:           10-90%  
          binder:        2-60%  
          disintegrant: 1-60%  
          lubricant:     0.1-10%  
          adsorbants:   0-5%  
          colorants:    0-5%

10

27. A method according to Claim 15 or 16, wherein Step (a) results in a partially-compressed core, which core is then further compressed in Step (b).

15